
CRANE, 7½ TON



| SYSTEM IDENTIFIERS | | | | | | |
|--------------------|--|--|--|--|--|--|
| NOMENCLATURE: | Crane, Wheel Mounted, Hydraulic, Light, 7½ Ton | | | | | |
| SSN: | R05002 | | | | | |
| LIN: | C36151 | | | | | |
| NSN: | 3810-01-165-0646 | | | | | |
| AMIM NO: | A411 | | | | | |
| EIC: | EKY | | | | | |
| FUEL TYPE: | DIESEL | | | | | |

SYSTEM DESCRIPTION

The 7½ Ton Crane performs combat support and combat service support missions in the division, corps, and theater areas. The crane performs tasks such as ammunition resupply, construction materials handling, disassembly and assembly of equipment for air transport and air drop operations. crane is a diesel engine driven, pneumatic tired, two and four wheel drive crane. The system has a steering chassis with a centermounted full revolving, hydraulically operated, telescoping boom. The operator's station is mounted on the chassis which is equipped with hydraulically operated outriggers. The crane weighs 13 tons.

There are no separately authorized components identified with this weapon/materiel system.

| CRA | NE | 7 1 | 12 | TO | N |
|------------|------|-----|----|----|---|
| CRA | INC. | / 1 | 12 | ı | N |

LIN NSN NOMENCLATURE

SYSTEM VARIANTS

 MDS
 LIN
 NSN

 CRANE, 7 1/2 TON
 C36219
 3810-01-165-0647

This summary provides an overview of FY 94 Total Army operating and support costs and other information for the weapon system. Average cost per system is displayed so the data can be used in performing analyses and cost studies. Average costs are calculated using the end item's density. NET REPARABLES represent the cost with the Major Subordinate Command (MSC) specific credit rates applied (detailed in Section 1 - Overview).

CRANE, 7 1/2 Ton FY 94 TOTAL ARMY COST SUMMARY (FY 94 Constant Dollars)

641

DENSITY

NUMBER OF SYSTEMS

DEPOT END ITEM MAINTENANCE (5.061)

TOTAL \$0
QUANTITY COMPLETED 0
AVG COST/END ITEM \$0.00

CLASS III-POL (5.05)

NOT AVAILABLE

DEPOT SECONDARY ITEM MAINTENANCE

TOTAL \$0
QUANTITY COMPLETED 0
AVG COST/SECONDARY ITEM \$0.00

CLASS V-AMMUNITION (2.11)

NOT APPLICABLE


| INTERMEDIATE MAINTENANCE | | | | | | | | | |
|-------------------------------------|---------------|-------------|--|--|--|--|--|--|--|
| | DS/GS | CIVILIAN | | | | | | | |
| MIL/CIV LABOR COST | \$21,593 | \$16,989 | | | | | | | |
| AVG COST/SYSTEM | \$33.69 | \$26.50 | | | | | | | |
| MAINTENANCE MANHOURS MMHs/SYSTEM | 1,300 2.03 | 916 1.43 | | | | | | | |

CLASS IX MATERIEL-PARTS (5.04/5.03)

| FY 94 | AVG COST |
|----------------|------------------------------------|
| <u>DOLLARS</u> | PER SYSTEM |
| \$377,838 | \$589.45 |
| \$0 | \$0.00 |
| \$377,838 | \$589.45 |
| | <u>DOLLARS</u> \$377,838 \$0 |

The following graph and table display FY 94 Class IX costs for consumables (CONS), reparables, (REPS), and net reparables (NET REPS) by MACOM. CONS and REPS are the total costs of requisitions recorded in the Logistic Intelligence File (LIF). NET REPS are the cost to the customer in the field and are calculated by applying an MSC-specific credit rate at the NSN level. TOTAL ARMY (TA) costs are the summation of costs across all MACOMs in the table. NET TOTAL COSTS are the sums of the costs of CONS and NET REPS. NUMBER OF SYSTEMS is the density recorded in the Continuing Balance System - Expanded (CBS-X). AVG PER SYSTEM costs are calculated by dividing the costs in NET TOTAL COSTS by the number of systems for each MACOM.


CRANE, 7 1/2 Ton



| | CRANE, 7 1/2 Ton | | | | | | | | | | |
|------|---|---------|------|------|---------|---------|--------|--|--|--|--|
| | FY 94 MACOM CLASS IX COSTS | | | | | | | | | | |
| | MACOM NET NET TOTAL NUMBER OF AVG PER | | | | | | | | | | |
| CODE | NAME | CONS | REPS | REPS | COSTS | SYSTEMS | SYSTEM | | | | |
| FC | FORSCOM | 262,596 | 0 | 0 | 262,596 | 168 | 1,563 | | | | |
| E1 | USAREUR | 42,186 | 0 | 0 | 42,186 | 63 | 670 | | | | |
| P8 | EUSA | 18,878 | 0 | 0 | 18,878 | 13 | 1,452 | | | | |
| P1 | USARPAC | 2,326 | 0 | 0 | 2,326 | 7 | 332 | | | | |
| SU | USARSO | 19,533 | 0 | 0 | 19,533 | 14 | 1,395 | | | | |
| AO | USASOC | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| TC | TRADOC | 3,883 | 0 | 0 | 3,883 | 17 | 228 | | | | |
| NG | ARNG | 26,190 | 0 | 0 | 26,190 | 206 | 127 | | | | |
| AR | USAR | 2,246 | 0 | 0 | 2,246 | 153 | 15 | | | | |
| TA | TOTAL ARMY | 377,838 | 0 | 0 | 377,838 | 641 | 589 | | | | |

The following graph and table display FY 90-94 Class IX costs for consumables (CONS), reparables (REPS) and net reparables (NET REPS) by Total Army. The Total Army costs are a summation of all the MACOMs displayed on the previous page. CONS and REPS are the total cost of requisitions recorded in the Logistic intelligence File (LIF). NET REPS are the cost to the customer in the field and are calculated by applying an MSC-specific credit rate at the NSN level. NET TOTAL COSTS are the sums of the costs of CONS and NET REPS. NUMBER OF SYSTEMS is the density recorded in the Continuing Balance System - Expanded (CBS-X). AVG PER SYSTEM costs are calculated by dividing the costs in NET TOTAL COSTS by the number of systems in the Total Army for the fiscal year. Blank rows indicate system was not tracked in the OSMIS database during that

CRANE, 7 1/2 Ton



| CRANE, 7 1/2 Ton FIVE YEAR TOTAL ARMY CLASS IX COSTS | | | | | | | | | | |
|--|---------|--------|--------|-------------|-----------|---------|--|--|--|--|
| FISCAL | | | NET | NET | NUMBER OF | AVG PER | | | | |
| YEAR | CONS | REPS | REPS | TOTAL COSTS | SYSTEMS | SYSTEM | | | | |
| FY 90 | | | | | | | | | | |
| FY 91 | 140,000 | 26,754 | 14,714 | 154,714 | 610 | 254 | | | | |
| FY 92 | 285,149 | 74,470 | 40,959 | 326,108 | 500 | 652 | | | | |
| FY 93 | 375,144 | 14,317 | 7,302 | 382,446 | 649 | 589 | | | | |
| FY 94 | 377,838 | 0 | 0 | 377,838 | 641 | 589 | | | | |

The Total Army Class IX costs from the previous pages are broken out by Work Breakdown Structure (WBS) in the following table. The FY 94 WBS Class IX costs for consumables (CONS) and reparables (REPS) are the total cost of requisitions recorded in the Logistic Intelligence File (LIF). The NET REPS are the cost to the customer in the field and are calculated by applying an MSC-specific credit rate at the NSN level. The TOTAL costs are a summation of all the WBS elements displayed in the table. NET TOTAL COSTS are the sum of the costs in CONS and NET REPS. NUMBER OF SYSTEMS is the density recorded in the Continuing Balance System-Expanded (CBS-X). AVG PER SYSTEM costs are calculated by dividing the costs in NET TOTAL COSTS column by the total number of systems in the Army.

| | CRANE, 7 1/2 Ton FY 94 TOTAL ARMY WORK BREAKDOWN STRUCTURE COSTS | | | | | | | | | | | |
|-----|--|---------|------|------|-------------|---------|--------|--|--|--|--|--|
| | NET NET NUM OF AVG PER | | | | | | | | | | | |
| WBS | NAME | CONS | REPS | REPS | TOTAL COSTS | SYSTEMS | SYSTEM | | | | | |
| 01 | HULL/FRAME | 89,170 | 0 | 0 | 89,170 | 641 | 139 | | | | | |
| 02 | SUSPENSION/STEER | 11,421 | 0 | 0 | 11,421 | 641 | 18 | | | | | |
| 03 | POWER PACKAGE | 196,468 | 0 | 0 | 196,468 | 641 | 307 | | | | | |
| 04 | AUX AUTOMOTIVE | 17,260 | 0 | 0 | 17,260 | 641 | 27 | | | | | |
| 05 | TURRET ASSEMBLY | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 06 | FIRE CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 07 | ARMAMENT | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 80 | BODY/CAB | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 09 | AUTO LOADING | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 10 | AUTO/REMOTE PILOT | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 11 | NBC EQUIPMENT | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 12 | SPECIAL EQUIPMENT | 9,617 | 0 | 0 | 9,617 | 641 | 15 | | | | | |
| 13 | NAVIGATION | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 14 | COMMUNICATIONS | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 15 | VEH APP SOFTWARE | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 16 | VEH SYS SOFTWARE | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 17 | INT, ASSY, TEST, C/O | 0 | 0 | 0 | 0 | 0 | 0 | | | | | |
| 18 | OTHER | 53,902 | 0 | 0 | 53,902 | 641 | 84 | | | | | |
| | TOTAL | 377,838 | 0 | 0 | 377,838 | 641 | 589 | | | | | |

The following table displays FY 90-94 Class IX costs by Work Breakdown Structure (WBS) for the Total Army. NET TOTAL COSTS are summation for all the WBS elements displayed on the previous page and are a sum of the costs of CONS and NET REPS. NUMBER OF SYSTEMS is the density recorded in the Continuing Balance System-Expanded (CBS-X). AVG PER SYSTEM costs are calculated by dividing the costs in NET TOTAL COSTS by the total number of systems in the Army for the fiscal year. Blank columns indicate system was not tracked in the OSMIS database during that fiscal year.

| | CRANE, 7 1/2 Ton FIVE YEAR TOTAL ARMY WORK BREAKDOWN STRUCTURE COSTS | | | | | | | | | | |
|-----|--|-----------|-----------|-----------|-----------|-----------|--|--|--|--|--|
| | FY 90 FY 91 FY 92 FY 93 FY 94 | | | | | | | | | | |
| | | NET TOTAL | | | | | |
| WBS | NAME | COSTS | COSTS | COSTS | COSTS | COSTS | | | | | |
| 01 | HULL/FRAME | | 34,709 | 85,739 | 82,530 | 89,170 | | | | | |
| 02 | SUSPENSION/STEER | | 7,803 | 16,031 | 13,249 | 11,421 | | | | | |
| 03 | POWER PACK | | 45,561 | 116,381 | 153,450 | 196,468 | | | | | |
| 04 | AUX AUTOMOTIVE | | 10,956 | 24,086 | 21,941 | 17,260 | | | | | |
| 05 | TURRET ASSEMBLY | | 0 | 0 | 0 | 0 | | | | | |
| 06 | FIRE CONTROL | | 0 | 0 | 0 | 0 | | | | | |
| 07 | ARMAMENT | | 0 | 0 | 0 | 0 | | | | | |
| 80 | BODY/CAB | | 0 | 0 | 0 | 0 | | | | | |
| 09 | AUTO LOADING | | 0 | 0 | 0 | 0 | | | | | |
| 10 | AUTO/REMOTE PILOT | | 0 | 0 | 0 | 0 | | | | | |
| 11 | NBC EQUIPMENT | | 0 | 0 | 0 | 0 | | | | | |
| 12 | SPECIAL EQUIPMENT | | 23,410 | 19,844 | 39,701 | 9,617 | | | | | |
| 13 | NAVIGATION | | 0 | 0 | 0 | 0 | | | | | |
| 14 | COMMUNICATIONS | | 0 | 0 | 11 | 0 | | | | | |
| 15 | VEH APP SOFTWARE | | 0 | 0 | 0 | 0 | | | | | |
| 16 | VEH SYS SOFTWARE | | 0 | 0 | 0 | 0 | | | | | |
| 17 | INT, ASSY, TEST, C/O | | 0 | 0 | 0 | 0 | | | | | |
| 18 | OTHER | | 32,275 | 64,027 | 71,564 | 53,902 | | | | | |
| | TOTAL | | 154,714 | 326,108 | 382,446 | 377,838 | | | | | |
| | NUM OF SYSTEMS | | 610 | 500 | 649 | 641 | | | | | |
| | AVG PER SYSTEM | | 254 | 652 | 589 | 589 | | | | | |

CRANE, 7 1/2 Ton TOP 40 COST DRIVERS CLASS IX CONSUMABLES (NON-DLRs)

| | NICNI | NOMENOLATURE | WDC | MDC | ADI | MATCAT | FY 94 AMDF | FY 94 |
|-----|---------------|-----------------------|-----|-----|-----|--------|------------|--------|
| | NSN | NOMENCLATURE | WBS | MRC | ARI | MATCAT | UNIT PRICE | QTY |
| 1. | 3040012637238 | CYLINDER ASSEMBLY,A | 03K | Н | | J2100 | 4,391.66 | 8.00 |
| | 3040012619806 | CYLINDER ASSEMBLY.A | 03K | Н | | J2100 | 3,295.00 | 6.00 |
| | 2590012625279 | CYLINDER ASSEMBLY,A | 01H | F | | J2100 | 1,700.22 | 11.00 |
| 4. | 6140012101964 | BATTERY,STORAGE | 18 | F | | K21PU | 57.22 | 307.96 |
| | 3040012852914 | SUPPORT, CRANE | 03K | Z | | J2200 | 1,247.94 | 13.00 |
| 6. | 2815012391774 | ENGINE, DIESEL | 03A | Н | | K21IE | 4,067.00 | 3.00 |
| 7. | 3040012633995 | CYLINDER ASSEMBLY,A | 03K | F | | J2100 | 425.19 | 27.00 |
| 8. | 6620013735894 | TRANSMITTER,PRESSUR | 03E | Z | | J2200 | 351.92 | 32.00 |
| 9. | 2610012378163 | TIRE,PNEUMATIC | 02A | Z | | K22PP | 292.00 | 36.00 |
| 10. | 2530012669683 | BRAKE SHOE | 03Q | Z | | J2200 | 1,009.85 | 10.00 |
| 11. | 6220012623152 | FLOODLIGHT ASSEMBLY | 18 | 0 | | J2100 | 445.94 | 21.00 |
| 12. | 2920012347930 | STARTER, ENGINE, ELEC | 03A | F | | J2100 | 352.30 | 20.92 |
| 13. | 2590012698719 | WINCH, DRUM, VEHICLE | 01H | Н | | J2100 | 3,397.80 | 2.00 |
| 14. | 3040012626240 | CYLINDER ASSEMBLY,A | 03K | F | | J2100 | 597.78 | 11.00 |
| 15. | 3010012627689 | GEAR ASSEMBLY, SPEED | 03L | F | | J2100 | 2,048.17 | 3.00 |
| 16. | 2520012391823 | TRANSMISSION,MECHAN | 03H | Н | D | K21IE | 6,071.00 | 1.00 |
| 17. | 3830012790249 | DISCONNECT ASSEMBLY | 12E | Z | | J2200 | 584.31 | 10.00 |
| 18. | 5930012627927 | SWITCH,SENSITIVE | 04A | Z | | Q2200 | 309.17 | 13.00 |
| 19. | 3040012622477 | ROD,PISTON,LINEAR A | 03K | Z | | J2200 | 485.76 | 8.00 |
| 20. | 2530012817916 | DISK BRAKE SHOE SET | 03Q | Z | | J2200 | 98.85 | 39.00 |
| 21. | 2530012852723 | BRAKE BOOSTER ASSEM | 03Q | F | | J2200 | 961.61 | 4.00 |
| 22. | 2540010929557 | MOTOR, WINDSHIELD WI | 01H | Z | | J2200 | 181.80 | 20.00 |
| 23. | 4820012700902 | VALVE,LINEAR,DIRECT | 01A | F | | J2100 | 1,179.10 | 3.00 |
| | 4710012687507 | TUBE ASSEMBLY,METAL | 01A | Z | | J2200 | 823.75 | 4.00 |
| _ | 4820012682366 | VALVE,LINEAR,DIRECT | 01A | F | | J2100 | 1,071.94 | 3.00 |
| | 2530012685361 | VALVE,STEERING SELE | 03Q | F | | J2100 | 352.47 | 9.00 |
| | 2510012615503 | WINDOW, VEHICULAR | 01A | Z | | J2200 | 78.62 | 39.93 |
| 28. | 4330012616523 | FILTER ELEMENT,FLUI | 18 | Z | | J2200 | 80.79 | 38.00 |
| 29. | | LAMP,INCANDESCENT | 18 | Z | | J2200 | 6.92 | 427.79 |
| | 2910011924622 | FILTER ELEMENT,FLUI | 03A | Z | | J2200 | 8.33 | 340.81 |
| | 9905005656267 | KIT VEH CLASS SIGN-W | 18 | Z | | E2200 | 25.17 | 111.68 |
| _ | 2920012008461 | WINDING,STARTER-GEN | 03A | Z | | J2200 | 94.36 | 27.78 |
| | 5945011654602 | SOLENOID, ELECTRICAL | 04A | Z | | K22NS | 43.85 | 59.65 |
| _ | 2940012443640 | FILTER ELEMENT,INTA | 03A | В | | J2200 | 32.82 | 78.55 |
| | 6105012672762 | IMPELLER,FAN,AXIAL | 04A | Z | | J2200 | 127.33 | 19.00 |
| | 2520008716818 | SPIDER, UNIVERSAL JO | 03H | Z | | J2200 | 35.99 | 66.89 |
| | 2940012688277 | AIR CLEANER, INTAKE | 03A | Z | | J2200 | 172.10 | 14.00 |
| | 2540013561015 | SEAT, VEHICULAR | 01H | 0 | | J2100 | 216.30 | 11.00 |
| 39. | | ROPE,WIRE | 18 | Z | | J2200 | 464.69 | 5.04 |
| 40. | 2510012841113 | GRILLE,RADIATOR,VEH | 01F | Z | | J2200 | 459.84 | 5.00 |

NUMBER OF SYSTEMS 641

NOTE: ROWS MAY NOT CALCULATE DUE TO ROUNDING

CRANE, 7 1/2 Ton CONSUMABLES (NON-DLRs)

| | AVERAGE COST | AVERAGE QUANTITY | FY 91-94 FOUR YEAR AVERAGE | | |
|--------------------|---|------------------|-------------------------------|---------------|--|
| EXTENDED COST | PER | PER | | | |
| (QTY * UNIT PRICE) | SYSTEM | 100 SYSTEMS | QTY_ | EXTENDED COST | |
| | | | | | |
| 35,133 | 54.81 | 1.2480 | 3.50 | 15,371 | |
| 19,770 | 30.84 | 0.9360 | 1.50 | 4,943 | |
| 18,702 | 29.18 | 1.7161 | 3.75 | 6,376 | |
| 17,620 | 27.49 | 48.0437 | 278.02 | 15,908 | |
| 16,224 | 25.31 | 2.0281 | 8.75 | 10,919 | |
| 12,201 | 19.03 | 0.4680 | 3.75 | 15,251 | |
| 11,480 | 17.91 | 4.2122 | 9.00 | 3,827 | |
| 11,262 | 17.57 | 4.9922 | 8.00 | 2,815 | |
| 10,512 | 16.40 | 5.6162 | 38.75 | 11,315 | |
| 10,099 | 15.76 | 1.5601 | 4.50 | 4,544 | |
| 9,365 | 14.61 | 3.2761 | 24.25 | 10,814 | |
| 7,370 | 11.50 | 3.2637 | 15.98 | 5,630 | |
| 6,796 | 10.60 | 0.3120 | 1.00 | 3,398 | |
| 6,576 | 10.26 | 1.7161 | 6.50 | 3,886 | |
| 6,144 | 9.59 | 0.4680 | 2.50 | 5,120 | |
| 6,071 | 9.47 | 0.1560 | 3.75 | 22,766 | |
| 5,842 | 9.11 | 1.5601 | 12.50 | 7,304 | |
| 4,018 | 6.27 | 2.0281 | 11.00 | 3,401 | |
| 3,886 | 6.06 | 1.2480 | 2.75 | 1,336 | |
| 3,856 | 6.02 | 6.0842 | 30.50 | 3,015 | |
| 3,847 | 6.00 | 0.6240 | 1.25 | 1,202 | |
| 3,636 | 5.67 | 3.1201 | 11.00 | 2,000 | |
| 3,538 | 5.52 | 0.4680 | 1.75 | 2,063 | |
| 3,296 | 5.14 | 0.6240 | 3.00 | 2,471 | |
| 3,216 | 5.02 | 0.4680 | 1.50 | 1,608 | |
| 3,172 | 4.95 | 1.4041 | 3.50 | 1,234 | |
| 3,139 | 4.90 | 6.2293 | 32.98 | 2,593 | |
| 3,070 | 4.79 | 5.9282 | 28.00 | 2,262 | |
| 2,960 | 4.62 | 66.7379 | 360.79 | 2,497 | |
| 2,839 | 4.43 | 53.1685 | 258.51 | 2,153 | |
| 2,811 | 4.39 | 17.4228 | 121.88 | 3,068 | |
| 2,621 | 4.09 | 4.3339 | 8.48 | 800 | |
| 2,616 | 4.08 | 9.3058 | 46.22 | 2,027 | |
| 2,579 | 4.02 | 12.2543 | 72.55 | 2,381 | |
| 2,420 | 3.78 | 2.9641 | 15.75 | 2,005 | |
| 2,409 | 3.76 | 10.4353 | 102.43 | 3,686 | |
| 2,409 | 3.76 | 2.1841 | 13.00 | 2,237 | |
| 2,379 | 3.71 | 1.7161 | 3.25 | 703 | |
| 2,343 | 3.66 | 0.7863 | 6.51 | 3,025 | |
| 2,300 | 3.59 | 0.7800 | 4.00 | 1,839 | |
| | | | | | |
| 280,527 | 74.2% TO | P 40 | | | |
| 97,311 | | HERS | | | |
| , | ======================================= | | | | |

377,838

CRANE, 7 1/2 Ton COST DRIVERS CLASS IX REPARABLES (DLRs)

| | | | | | | FY 94 AMDF | FY 94 | |
|-----|--------------|-----|-----|-----|--------|------------|----------|-----|
| NSN | NOMENCLATURE | WBS | MRC | ARI | MATCAT | W/O CREDIT | W/CREDIT | QTY |

NO DATA

CRANE, 7 1/2 Ton REPARABLES (DLRs)

| | | FY 91-94 | | |
|--------------------|-------------------------|-------------|--------|---------------|
| EXTENDED COST | COST (W/CREDIT) AVERAGE | | FOUR ' | YEAR AVERAGE |
| (W/CREDIT) | PER | PER | | EXTENDED COST |
| (QTY * UNIT PRICE) | SYSTEM | 100 SYSTEMS | QTY | (W/CREDIT) |

NO DATA

The following table summarizes FY 94 Depot Maintenance Costs from the Master File Maintenance (MFM). Depot maintenance costs are displayed by cost elements for end item maintenance and secondary item maintenance. The OTHER cost columns represent work categories such as progressive maintenance, renovation, and fabrication/manufacture. For reporting purposes, TRANSPORTATION costs recorded in the World Aircraft Logistics Conference (WALC)/Special Aircraft Assignment Mission (SAAM) records are shown in the OTHER maintenance category.

| CRANE, 7 1/2 Ton FY 94 DEPOT MAINTENANCE COSTS | | | | | | | | | | |
|--|--------|----------|-------|--------------|--------|-----------|--------|--|--|--|
| COST | | END I | TEM | | | SECONDARY | ' ITEM | | | |
| ELEMENTS | | MAINTEN | NANCE | | | MAINTENA | NCE | | | |
| | REPAIR | OVERHAUL | OTHER | MODIFICATION | REPAIR | OVERHAUL | OTHER | | | |
| CIVILIAN LABOR | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| MILITARY LABOR | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| MATERIEL | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| TRANSPORTATION | 0 | 0 | 0 | 0 | | | | | | |
| OVERHEAD | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| CONTRACT | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| OTHER | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| QTY COMPLETED | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |
| AVG COST | 0 | 0 | 0 | 0 | 0 | 0 | (| | | |

The table below summarizes FY 94 Intermediate Maintenance Costs from the Work Order Logistics File (WOLF) data. The labor hours and labor costs for Direct Support/General Support Intermediate Maintenance (DS/GS) and Civilian Maintenance are displayed by MACOM and Total Army. MACOM DS/GS LABOR COSTS are calculated by multiplying MACOM labor hours by the Army Manpower Cost System (AMCOS) E-5 composite standard rate (\$16.61). CIVILIAN LABOR COSTS are a summation from the source data.

| | CRANE, 7 1/2 Ton | | | | | | | | |
|------------|--------------------------------------|-------------|--------------|--------------------------|----------------|--|--|--|--|
| | FY 94 INTERMEDIATE MAINTENANCE COSTS | | | | | | | | |
| | DS/GS LABOR | DS/GS | CIVILIAN | CIVILIAN | CIVILIAN LABOR | | | | |
| MACOM | HOURS | LABOR COSTS | LABOR HOURS* | LABOR COSTS [*] | COST/HOUR | | | | |
| FORSCOM | 256 | 4,252 | 916 | 16,989 | 18.55 | | | | |
| USAREUR | 520 | 8,637 | | | | | | | |
| EUSA | 11 | 183 | | | | | | | |
| USARPAC | 8 | 133 | | | | | | | |
| USARSO | 21 | 349 | | | | | | | |
| USASOC | 25 | 415 | | | | | | | |
| TRADOC | 0 | 0 | 0 | 0 | 0.00 | | | | |
| ARNG | 426 | 7,076 | | | | | | | |
| USAR | 33 | 548 | | | | | | | |
| TOTAL ARMY | 1,300 | 21,593 | 916 | 16,989 | 18.55 | | | | |

^{*}TRADOC LABOR HOURS and LABOR COSTS include contractor hours and costs.

The following table summarizes FY 90-94 Depot Maintenance Costs. The depot maintenance data are recorded in MFM. FY 94 costs are a summation of the cost elements displayed on the previous page. END ITEM OVERHEAD costs were not separately identified prior to FY 92. TRANSPORTATION costs are recorded in the WALC/SAAM records. Blank columns indicate system was not tracked in the OSMIS database during that fiscal year.

| CRANE, 7 1/2 Ton FIVE YEAR DEPOT MAINTENANCE COSTS | | | | | | | | | | |
|--|-------|-------|-----------|-------|-------|-------|----------|-----------|-------|-------|
| COST END ITEM | | | | | | | ONDARY I | | | |
| ELEMENTS | | M/ | AINTENANG | CE | | | M | AINTENANG | CE | |
| | FY 90 | FY 91 | FY 92 | FY 93 | FY 94 | FY 90 | FY 91 | FY 92 | FY 93 | FY 94 |
| CIVILIAN LABOR | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| MILITARY LABOR | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| MATERIEL | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TRANSPORTATION | | 0 | 0 | 0 | 0 | | | | | |
| OVERHEAD | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| CONTRACT | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| OTHER | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| TOTAL | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| QTY COMPLETED | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| AVG COST | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |

The table below sumarizes FY 90-94 Intermediate Maintenance Costs from WOLF. The fiscal year total costs for Direct/General Support Intermediate Maintenance (DS/GS) and Civilian Maintenance are displayed by MACOM and Total Army. MACOM DS/GS labor costs are calculated by multiplying MACOM labor hours by the Army Manpower Cost System (AMCOS) E-5 composite standard rate. DS/GS COST PER HR is the E-5 composite standard rate in FY 94 constant dollars. CIVILIAN LABOR COSTS are a summation from the source data. Blank columns indicate system was not tracked in the OSMIS database during that fiscal year.

| CRANE, 7 1/2 Ton FIVE YEAR INTERMEDIATE MAINTENANCE COSTS | | | | | | | | | | | |
|---|------------------------|-----------|-----------|-----------|--------|-------|-------|----------|--------|--------|--|
| | DIRECT/GENERAL SUPPORT | | | | | | | CIVILIAN | | | |
| | INTE | ERMEDIATE | E MAINTEN | ANCE (DS/ | (GS) | | MAIN | TENANCE | (CIV) | | |
| MACOM | FY 90 | FY 91 | FY 92 | FY 93 | FY 94 | FY 90 | FY 91 | FY 92 | FY 93 | FY 94 | |
| FORSCOM | | 0 | 29,453 | 12,383 | 4,252 | | 0 | 1,058 | 1,257 | 16,989 | |
| USAREUR | | 0 | 1,762 | 7,603 | 8,637 | | | | | | |
| EUSA | | 0 | 1,701 | 1,321 | 183 | | | | | | |
| USARPAC | | 0 | 406 | 172 | 133 | | | | | | |
| USARSO | | 0 | 1,131 | 886 | 349 | | | | | | |
| USASOC | | 0 | 0 | 0 | 415 | | | | | | |
| TRADOC | | 0 | 0 | 0 | 0 | | 0 | 7,281 | 17,178 | 0 | |
| ARNG | | 0 | 4,173 | 4,876 | 7,076 | | | | | | |
| USAR | | 0 | 1,548 | 749 | 548 | | | | | | |
| TOTAL ARMY | | 0 | 40,174 | 27,990 | 21,593 | | 0 | 8,339 | 18,435 | 16,989 | |
| LABOR HRS | | 0 | 2,386 | 1,630 | 1,300 | | 0 | 408 | 1,123 | 916 | |
| COST PER HR | | 0.00 | 16.84 | 17.19 | 16.61 | | 0.00 | 20.44 | 16.42 | 18.55 | |

The following list shows the FY 94 Secondary Item - Rebuilds/Overhauls Cost Drivers recorded in the MFM. AVG COST TO REBUILD/OVERHAUL is calculated by dividing the costs in FY 94 TOTAL COST TO REBUILD/OVERHAUL by FY 94 QTY COMPLETED.

| CRANE, 7 1/2 Ton FY 94 DEPOT SECONDARY ITEM MAINTENANCE - REBUILDS/OVERHAULS COST DRIVERS | | | | | | | | |
|---|--------------|------------------------|--|---------------------------|-------------------------------------|--|--|--|
| NSN | NOMENCLATURE | FY 94 AMDF PRICE | FY 94 TOTAL COST TO REBUILD/ OVERHAUL | FY 94 QTY COMPLETED | AVG COST TO REBUILD/ OVERHAUL | | | |
| | N | O DATA AVAI | ILABLE | | | | | |

The following list shows the FY 94 Secondary Item Maintenance - Repairs Cost Drivers recorded in MFM. AVG COST TO REPAIR is calculated by dividing the costs in FY 94 TOTAL COST TO REPAIR by FY 94 QTY COMPLETED.

| FY 94 | CRANE, 7 1/2 Ton FY 94 DEPOT SECONDARY ITEM MAINTENANCE - REPAIRS COST DRIVERS | | | | | | | |
|-------|--|---------------|---------------------|--------------|-----------|--|--|--|
| | | FY 94 AMDF | FY 94 TOTAL COST | FY 94 QTY | AVG COST | | | |
| NSN | NOMENCLATURE | PRICE | TO REPAIR | COMPLETED | TO REPAIR | | | |
| | N | O DATA AVAI | LABLE | | | | | |

The following list shows the FY 90-94 Secondary Item - Rebuild/Overhauls Cost Drivers recorded in MFM. These five year Cost Drivers were revised from previous years' reports, see Appendix A, Section 13 for further explanation. AVG COST TO REBUILD/OVERHAUL is calculated by dividing the costs in FY 90-94 TOTAL COST TO REBUILD/OVERHAUL by FY 90-94 QTY COMPLETED.

| CRANE, 7 1/2 Ton FIVE YEAR DEPOT SECONDARY ITEM MAINTENANCE - REBUILDS/OVERHAULS COST DRIVERS | | | | | | | |
|---|--------------|------------------------|---|------------------------------|-------------------------------------|--|--|
| NSN | NOMENCLATURE | FY 94 AMDF PRICE | FY 90-94 TOTAL COST TO REBUILD/ OVERHAUL | FY 90-94 QTY COMPLETED | AVG COST TO REBUILD/ OVERHAUL | | |
| | N | O DATA AVAI | ILABLE | | | | |

The following list shows the FY 90-94 Secondary Item - Repairs Cost Drivers recorded in MFM. These five year Cost Drivers were revised from previous years' reports, see Appendix A, Section 13 for further explanation. AVG COST TO REPAIR is calculated by dividing the costs in FY 90-94 TOTAL COST TO REPAIR by FY 90-94 QTY COMPLETED.

| CRANE, 7 1/2 Ton FIVE YEAR DEPOT SECONDARY ITEM MAINTENANCE - REPAIRS COST DRIVERS | | | | | | |
|--|--------------|------------------------|-------------------------------------|------------------------------|-----------------------|--|
| NSN | NOMENCLATURE | FY 94 AMDF PRICE | FY 90-94 TOTAL COST TO REPAIR | FY 90-94 QTY COMPLETED | AVG COST TO REPAIR | |
| | N | O DATA AVAI | LABLE | | | |

CHOOSE A VOLUME FOR MORE SYSTEMS



THIS PAGE INTENTIONALLY LEFT BLANK